

C ) 屋上				切付	立上り	笠木	笠木	アゴ	伸縮目地	緩衝材	排水溝				
				水面取り	打放補修	打放補修	打放補修	打放補修			W=300				
☆サブリットランス庇				H=300-400	糸=600	W=190	糸=450								
バラベット立上り															
(0.83+0.85+3.6)*2					10.6		10.6								
φルーフ															
切付															
(4.5+13.5)*2+0.5*2				37.0	37.0					37.0					
笠木 (糸 = 100+300+150+50 = 600)															
3.5*2+13.5+0.5*2							21.5								
アゴ (糸 = 250+150+50 = 450)															
1.0*2+13.5								15.5							
伸縮目地															
13.5+9.5+3.3*2+4.4*2*4.0									42.4						
排水溝															
(2.0+4.5)*2											13.0				
φブリッジ屋根															
切付															
(2.0+6.0)*2				16.0	16.0										
笠木															
2.0+6.0*2							14.0	2.0							
φルーフ															
切付															
(7.7+18.7)*2+4.8*2				62.4	62.4					62.4					
笠木															
7.2+18.7+4.8+4.8*2							40.3								
アゴ															
18.7+0.5+2.9								22.1							
伸縮目地															
7.0+7.5*2+4.8*2+9.5+18.7*2									78.5						

			切付	立上り	笠木	笠木	アゴ	伸縮目地	緩衝材	排水溝				
			水面取り	打放補修	打放補修	打放補修	打放補修			W=300				
排水溝														
7.0+4.5										11.5				
7ルーフ														
切付														
0.55+6.2+2.25+9.7+9.0+6.35+18.7+0.75+3.4+3.3*2			63.5	63.5						63.5				
笠木														
6.2+18.7+2.25+6.35+3.3*2					40.1									
アゴ														
18.7+0.55+3.4+0.75							23.4							
伸縮目地														
6.0+6.5*2+5.5+6.2+9.5*2+5.7+18.7+9.0								83.1						
排水溝														
6.0+6.2										12.2				
8ルーフ														
切付														
(3.4+8.9)*2			24.6	24.6						24.6				
笠木														
2.4+8.9+0.75+1.65					23.7									
アゴ														
2.0+1.0+6.9+1.0							10.9							
伸縮目地														
3.2+2.5*2+6.7+8.9								23.8						
排水溝														
9ルーフ										1.5				
切付														
(6.2+18.7)*2			49.8	49.8						49.8				
笠木														
5.7+18.7+5.2					29.6									
アゴ														
18.7+1.0+0.5							20.2							

			切付	立上り	笠木	笠木	アゴ	伸縮目地	緩衝材	排水溝				
			水面取り	打放補修	打放補修	打放補修	打放補修			W=300				
伸縮目地			H = 300 - 400	糸 = 600	W = 190	糸 = 450								
5.5+6.0*5+16.5+18.7*2								89.4						
排水溝														
5.5+5.0										10.5				
100ルーフ														
切付														
6.4+18.7*2+6.95+1.2+0.6			52.6	52.6					52.6					
笠木														
5.9+18.7+6.95					31.6									
アゴ														
18.7+1.2+0.6*2							21.1							
伸縮目地														
5.9+6.2*5+18.7*3								93.0						
排水溝														
5.9+5.5+0.9+2.0										14.3				
R F														
切付														
(45.7+18.7)*2+1.25*2+(3.8+2.75)*2+(0.6+1.05)*2*2+0.5*4*3+1.0*4														
笠木			161.0	161.0										
18.7*2+45.7+41.9+1.25*2+(3.8+2.75)*2					140.6									
アゴ														
3.8+1.65*2*2+0.5*4*3+1.0*4							20.4							
排水溝														
45.7+42.6										88.3				
別添 東電設置、ゴミ集積所留根														
切付 (14.5+4.5)*2			38.0	38.0	38.0					14.5				
C ) 屋 上 計			504.9	515.5	379.4	10.6	135.6	410.2	289.9	165.8				